Journal of Biomedical Materials Research

Volume Contents-1988

Issue 1, January 1988

Editorial
A. Norman Cranin iii

Molecular and supramolecular structure of adsorbed fibrinogen and adsorption isotherms of fibrinogen at quartz surfaces
H. Nygren and M. Stenberg 1

Physical and hydrodynamic factors affecting erythrocyte adhesion to polymer surfaces
G. Chang, D. R. Absolom, A. B. Strong, G. D. Stubley, and W. Zingg 13

AES analysis of stainless steel corroded in saline, in serum, and *in vivo*
D. D. Zabel, S. A. Brown, K. Merritt, and J. H. Payer 31

Interaction between erythrocytes and a perfluorochemical blood substitute
V. V. Tuliani, E. A. O'Rear, B. M. Fung, and B. D. Sierra 45

Hydrophilic microporous polyurethane versus expanded PTFE grafts as substitutes in the carotid arteries of dogs. A limited study
H. Martz, R. Paynter, S. B. Slimane, G. Beaudoin, R. Guidoin, J. Borzone, H. B. Simhon, R. Satin, and N. Sheiner 63

A comparative scanning electron microscopic study on degradation of absorbable ligating clips in *in vivo* and *in vitro*
N. Chegini, D. L. Hay, J. A. von Fraunhofer, and B. J. Masterson 71

Announcements 81

Information for Contributors 85

Issue 2, February 1988

The tensile strength of natural and chemically modified bovine pericardium
C. E. Crofts and E. A. Trowbridge 89

Use of an enzyme linked immunosorbent assay (ELISA) for quantification of proteins on the surface of materials
K. Merritt, C. R. Edwards, and S. A. Brown 99
Effect of proteins and pH on fretting corrosion and metal ion release
K. Merritt and S. A. Brown 111
Normal wound healing compared to healing within porous Dacron implants
P. D. Schreuders, T. N. Salthouse, and A. F. von Recum 121
Quantitative analysis of early *in vivo* tissue response to synthetic apatite implants
L. G. Ellies, J. M. Carter, J. R. Natiella, J. D. B. Featherstone, and D. G. A. Nelson 137
An *in vitro* evaluation of the hemostatic activity of topical agents
R. Eloy, J. Baguet, G. Christe, M. C. Rissoan, J. Paul, and J. Belleville 149
Announcements 159

Issue 3, March 1988

The effects of pore size and endothelial cell seeding upon the performance of small-diameter e-PTFE vascular grafts under controlled flow conditions
K. L. Boyd, S. Schmidt, T. R. Pippert, S. A. Hite, and W. V. Sharp 163
Locking mechanism strength of absorbable ligating devices
D. L. Hay, J. A. von Fraunhofer, N. Chegini, and B. J. Masterson .. 179
Calcium phosphate-coated porous titanium implants for enhanced skeletal fixation
D. P. Rivero, J. Fox, A. K. Skipor, R. M. Urban, and J. O. Galante 191
In vitro simulation of biocompatibility of Ti-Al-V
N. Bruneel and J. A. Helsen 203
Kinetics of cell adhesion to polymer surfaces
D. R. Absolom, C. Thomson, L. A. Hawthorn, W. Zingg, and A. W. Neumann 215
Poly(dimethylsiloxane)-poly(ethylene oxide)-heparin block copolymers. I. Synthesis and characterization
D. W. Grainger, S. W. Kim, and J. Feijen 231
Announcements 251
Forthcoming Articles 255

Issue 4, April 1988

Cell morphology, proliferation and collagen synthesis of human fibroblasts cultured on sepiolite–collagen complexes
N. Olmo, M. A. Lizarbe, J. Turnay, K. P. Müller, and J. G. Gavilanes 257
Endothelialization of polymer surfaces
D. R. Absolom, L. A. Hawthorn, and G. Chang 271
The effect of post-sintering heat treatments on the fatigue properties of porous coated Ti-6Al-4V Alloy
S. D. Cook, N. Thongpreda, R. C. Anderson, and R. J. Haddad, Jr. 287
Development of Ni-4 wt.% Si thermoseeds for hyperthermia cancer treatment
J.-S. Chen, D. R. Poirier, M. A. Damento, L. J. Demer, F. Biancaniello, and T. C. Cetas 303
In vitro and *in vivo* metal ion release
S. A. Brown, L. J. Farnsworth, K. Merritt, and T. D. Crowe 321
NOTE
Cellular morphology and distribution on a stretching blood–material interface
C. R. McMillin, M. R. Malladi, D. W. Ott, M. M. Evancho, and S. P. Schmidt 339
Announcements..... 353

Issue 5, May 1988

Albumin adsorption on alkyl chain derivatized polyurethanes: I. The effect of C-18 alkylation
W. G. Pitt and S. L. Cooper 359
Cell adhesion to a series of hydrophilic–hydrophobic copolymers studied with a spinning disc apparatus
T. A. Horbett, J. J. Waldburger, B. D. Ratner, and A. S. Hoffman .. 383
Preparation and properties of a biomaterial: HEMA grafted SBS

by γ-ray irradiation
G.-H. Hsiue, J.-M. Yang, and R.-L. Wu 405

Immobilization of enzymes on polypropylene bead surfaces by anhydrous ammonia gaseous plasma technique
R. Sipehia, A. S. Chawla, J. Daka, and T. M. S. Chang 417

Biocompatibility of six elastomers *in vitro*
D. Bakker, C. A. Van Blitterswijk, W. Th. Daems, and J. J. Grote.. 423

Announcements 441

Issue 6, June 1988

Mineralization and calcium fixation within a porous apatitic ceramic material after implantation in the femur of rabbits
A. Krajewski, A. Ravaglioli, R. Mongiorgi, and A. Moroni..... 445

Effects of a grooved epoxy substratum on epithelial cell behavior *in vitro* and *in vivo*
B. Chehroudi, T. R. Gould, and D. M. Brunette..... 459

Silicone rubber temporomandibular joint (TMJ) meniscal replacements: Postimplant histopathologic and material evaluation
L. C. Hartman, R. W. Bessette, R. E. Baier, A. E. Meyer, and J. Wirth..... 475

Colonization of *n*-butyl-2-cyanoacrylate tissue adhesive by *Staphylococcus epidermidis*
M. E. Olson, I. Ruseka, and J. W. Costerton..... 485

Estimation of surface-bound heparin activity: A comparison of methods
W. L. Chandler, D. D. Solomon, C. B. Hu, and G. Schmer..... 497

Analysis of *in vitro* enzymatic and oxidative degradation of polyurethanes
B. D. Ratner, K. W. Gladhill, and T. A. Horbett..... 509

The corrosion fatigue properties of surgical implants in a living body
M. Morita, T. Sasada, H. Hayashi, and Y. Tsukamoto 529

Crystallographic structure and surface morphology of sintered carbonated apatites
L. G. Ellies, D. G. A. Nelson, and J. D. B. Featherstone 541

Separation of B- and T-lymphocytes by cellular adsorption chromatography using poly(2-hydroxyethyl methacrylate)/

polyamine graft copolymer as column adsorbent
A. Maruyama, T. Tsuruta, K. Kataoka, and Y. Sakurai 555
Thermomechanical study of Ni–Ti alloys
J. H. Lee, J. B. Park, G. F. Andreasen, and R. S. Lakes 573
Announcements 589

Issue 7, July 1988

Serotonin and β-thromboglobulin release reaction from platelet as triggered by interaction with polypeptide derivatives
I.-K. Kang, Y. Ito, M. Sisido, and Y. Imanishi 595

Development of a new system for evaluating the biocompatibility of implant materials using an osteogenic cell line (MC3T3-E1)
Y. Itakura, A. Kosugi, H. Sudo, S. Yamamoto, and M. Kumegawa 613

A study of the nature and formation of zinc polyacrylate cement using Fourier transform infrared spectroscopy
J. W. Nicholson, P. J. Brookman, O. M. Lacy, G. S. Sayers, and A. D. Wilson 623

Stability of performances of vascular prostheses retrospective study of 22 cases of human implanted prostheses
E. Vinard, R. Eloy, J. Descotes, J. R. Brudon, H. Guidicelli, J. L. Magne, P. Patra, R. Berruet, A. Huc, and J. Chauchard 633

Corrosion behavior of nickel-containing alloys in artificial sweat
J.-P. Randin 649

Announcements 667

Issue 8, August 1988

Permeability of a Heparin-Polyvinyl alcohol hydrogel to thrombin and antithrombin III
B. A. H. Smith and M. V. Sefton 673

The hydrolytic stability of Mitrathane (a polyurethane urea)—an x-ray photoelectron spectroscopy study

R. W. Paynter, I. N. A kill, S. H. Glick, and R. Guidoin 687

The study of thermal and gross morphologic properties of polyglycolic acid upon annealing and degradation treatments
C. C. Chu and A. Browning 699

Human monocyte/macrophage activation and interleuken 1 generation by biomedical polymers
K. M. Miller and J. M. Anderson 713

Effect of particle size on the *in vitro* and *in vivo* degradation rates of poly(DL-lactide-co-glycolide) microcapsules
G. E. Visscher, J. E. Pearson, J. W. Fong, G. J. Argentieri, R. L. Robison, and H. V. Maulding 733

Announcements 747

Issue 9, September 1988

Experimental implantation of hydrogel into the bone
P. Korbelář, J. Vacík, and I. Dylevský 751

Correlations between mouse 3T3 cell spreading and serum fibronectin adsorption on glass and hydroxyethylmethacrylate-ethylmethacrylate copolymers
T. A. Horbett and M. B. Schway 763

Blood compatibility of surfaces modified by plasma polymerization
Y.-S. Yeh, Y. Iriyama, Y. Matsuzawa, S. R. Hanson, and H. Yasuda 795

Effect of delay between tissue harvest and glutaraldehyde pretreatment on mineralization of bovine pericardium used in bioprosthetic heart valves
A. R. Maranto and F. J. Schoen 819

Announcements 827

Information for Contributors 831

Issue 10, October 1988

Macrophage phagocytosis of biodegradable microspheres composed of L-lactic acid/glycolic acid homo- and copolymers
Y. Tabata and Y. Ikada 837

Influence of blood flow and the effect of protamine on the thromboresistant properties of a covalently bonded heparin surface
C. Arnander, P. Olsson, and O. Larm 859

Apatite-wollastonite containing glass ceramic-fibrin mixture as a bone defect filler
K. Ono, T. Yamamuro, T. Nakamura, Y. Kakutani, T. Kitsugi, K. Hyakuna, T. Kokubo, M. Oka, and Y. Kotoura 869

Component wear of total knee prostheses using Ti-6Al-4V, titanium nitride coated Ti-6Al-4V, and cobalt-chromium-molybdenum femoral components
C. D. Peterson, B. M. Hillberry, and D. A. Heck 887

Cell growth on metallic glasses: The interaction of amorphous metal alloys with cultured neuronal, osteoblast, endothelial, and fibroblast cells
B.R. McAuslan, G. Johnson, G. W. Delamore, M. A. Gibson, and J. G. Steele 905

Ultrathin coating of plasma polymer of methane applied on the surface of silicone contact lenses
C.-P. Ho and H. Yasuda 919

Structure of a collagen-GAG dermal skin substitute optimized for cultured human epidermal keratinocytes
S. T. Boyce, D. J. Christianson, and J. F. Hansbrough 939

Announcements 959

Issue 11, November 1988

Cell responses to biomaterials II: Endothelial cell adhesion and growth on perfluorosulfonic acid
B. R. McAuslan, G. Johnson, G. N. Hannan, W. D. Norris, and T. Exner 963

Heparin immobilization onto segmented polyurethaneurea

surfaces—effect of hydrophilic spacers
K. D. Park, T. Okano, C. Nojiri, and S. W. Kim 977

Biodegradable PEO/PLA block copolymers
D. Cohn and H. Younes 993

Polymerization of multifunctional methacrylates and acrylates
K. Miyazaki and T. Horibe 1011

Hydrogels for buccal drug delivery: properties relevant for muco-adhesion
M. E. de Vries, H. E. Boddé, H. J. Busscher, and H. E. Junginger... 1023

The effect of glass-ceramic bone implant materials on the *in vitro* formation of hydroxyapatite
N. C. Blumenthal, A. S. Posner, V. Cosma, and U. Gross 1033

Attachment and spreading of human gingival fibroblasts on potentially bioactive glasses *in vitro*
L. Häkkinen, A. Yli-Urpo, J. Heino, and H. Larjava..... 1043

In situ polymerization of a microencapsulating medium round living cells
B. Dupuy, H. Gin, C. Baquey, and D. Ducassou 1061

In vitro characterization and biomechanical optimization of a biodegradable particulate composite bone cement
T. N. Gerhart, R. L. Miller, S. J. Kleshinski, and W. C. Hayes 1071

Erratum 1083

Announcement 1087

Issue 12, December 1988

A tribute to Sam
A. N. Cranin 1089

Samuel F. Hulbert
C. W. Hall 1091

Curriculum vitae 1093

Analysis of the biocompatibility of ALCAP ceramics in rat femurs
D. R. Mattie and P. K. Bajpai..... 1101

Designing to counteract the effects of initial device instability:

materials and engineering
J. F. Kay 1127

The effect of plasma-sprayed calcium phosphate ceramic coatings on the metal ion release from porous titanium and cobalt-chromium alloys
P. Ducheyne and K. E. Healy 1137

Hydroxylapatite (H/A) particulate versus cones as post-extraction implants in humans. Parts I & II
A. N. Cranin, E. Ronen, R. Shpuntoff, G. Tobin, and J. B. Dibling..... 1165

Multilayered bead ceramic composite coating for hip prostheses: experimental studies and preliminary clinical results
A. Pizzoferrato, A. Toni, A. Sudanese, G. Ciapetti, A. Tinti, and A. Venturini 1181

The use of dense alumina-alumina ceramic combination in total hip replacement
P. Boutin, P. Christel, J.-M. Dorlot, A. Meunier, A. de Roquancourt, D. Blanquaert, S. Herman, L. Sedel, and J. Witvoet 1203

A comparative clinical study of solid and granular porous hydroxylapatite implants in human periodontal osseous defects
E. B. Kenney, V. Lekovic, F. A. Carranza, Jr., B. Dimitrijeric, T. Han, and H. Takei 1233

Ceramic systems for long-term delivery of chemicals and biologicals
P. K. Bajpai and H. A. Benghuzzi..... 1245

Abridged report of the committee to survey the needs and opportunities for the biomaterials industry
S. A. Barenberg 1267

Announcement 1293

Information for contributors 1295

Author index 1299

Subject index 1305

Volume contents..... iii